

## AMUNICJA MYŚLIWSKA

AMUNICJA MYŚLIWSKA															
Prędkość [m/s] Energia [J] Odchyłka przy bocznym wiatr w [mm] (wiatr: 4 [m/s])															Testowa długość lufy
Kaliber	Nr katalogowy	Typ pocisku Waga Symbol	Prędkość [m/s]						Odległość od punktu trafienia	Trajektoria [mm]					[mm]
			0 m	50 m	100 m	150 m	200 m	300 m		50 m	100 m	150 m	200 m	300 m	
<b>.222 Rem 5.7x43</b>	<b>4315020</b>	<b>FMJ</b>	880	819	760	703	649	549	100 m	-2	0	-41	-132	-498	600
		3,6 g / 55 gr	<b>1 394</b>	<b>1 306</b>	<b>1 039</b>	<b>890</b>	<b>759</b>	<b>542</b>	150 m	12	27	0	-77	-416	
		S382	0	8	35	81	150	365	200 m	31	66	58	0	-301	
	<b>4315030</b>	<b>SP</b>	880	804	732	664	599	483	100 m	-1	0	-45	-146	-569	600
3,6 g / 55 gr	<b>1 394</b>	<b>1 164</b>	<b>965</b>	<b>793</b>	<b>647</b>	<b>420</b>	150 m	14	30	0	-86	-479			
E369	0	11	44	104	193	483	200 m	35	73	64	0	-351			
<b>.223 Rem 5.56 mm</b>	<b>4315040</b>	<b>FMJ</b>	955	888	825	765	707	598	100 m	-4	0	-32	-105	-409	660
		3,6 g / 55 gr	<b>1 642</b>	<b>1 421</b>	<b>1 225</b>	<b>1 052</b>	<b>899</b>	<b>645</b>	150 m	6	21	0	-63	-346	
		S350	0	8	32	74	137	333	200 m	22	53	47	0	-251	
	<b>4315050</b>	<b>SP</b>	955	877	803	733	667	545	100 m	-4	0	-34	-114	-452	660
3,6 g / 55 gr	<b>1 642</b>	<b>1 384</b>	<b>1 161</b>	<b>968</b>	<b>801</b>	<b>535</b>	150 m	7	23	0	-68	-384			
E372	0	9	38	89	166	411	200 m	24	57	51	0	-281			
<b>.243 Win 6.16x51</b>	<b>4316052</b>	<b>FMJ</b>	885	844	805	767	730	658	100 m	-3	0	-35	-112	-409	620
		5,8 g / 90 gr	<b>2 271</b>	<b>2 068</b>	<b>1 880</b>	<b>1 705</b>	<b>1 544</b>	<b>1 257</b>	150 m	9	23	0	-65	-339	
		B503	0	5	22	51	92	217	200 m	25	56	49	0	-241	
	<b>4316056</b>	<b>SP</b>	910	855	802	751	702	609	100 m	-3	0	-35	-114	-428	620
	6,5 g / 100 gr	<b>2 691</b>	<b>2 375</b>	<b>2 090</b>	<b>1 833</b>	<b>1 601</b>	<b>1 206</b>	150 m	8	23	0	-67	-358		
E497	0	7	29	67	122	295	200 m	25	57	50	0	-257			
<b>N316201</b>	Naturalis	910	842	766	714	655	545	100 m	-3	0	-38	-124	-479	620	
5,8 g/90 gr	<b>2 402</b>	<b>2 054</b>	<b>1 748</b>	<b>1 480</b>	<b>1 245</b>	<b>862</b>	150 m	10	25	0	-74	-404			
N509	0	9	37	85	159	387	200 m	29	62	56	0	-292			
<b>6.5x55 Swedish</b>	<b>4316033</b> <i>TRAINER</i>	<b>FMJ</b>	830	770	713	659	607	510	100 m	1	0	-49	-155	-579	620
		6,5 g / 100 gr	<b>2 239</b>	<b>1 929</b>	<b>1 654</b>	<b>1 411</b>	<b>1 196</b>	<b>847</b>	150 m	17	33	0	-89	-481	
		S341	0	9	38	89	164	401	200 m	39	77	67	0	-347	
	<b>N316101</b>	<b>Naturalis</b>	800	755	711	669	628	550	100 m	-1	0	-48	-151	-549	670
9.1 g/140 gr	<b>2 912</b>	<b>2 592</b>	<b>2 300</b>	<b>2 034</b>	<b>1 793</b>	<b>1 378</b>	150 m	15	32	0	-87	-452			
N507	0	6	28	70	129	306	200 m	37	75	65	0	-322			

## AMUNICJA MYŚLIWSKA

Kaliber	Nr katalogowy	Typ pocisku Waga Symbol	Prędkość [m/s]						Odległość od punktu trafienia	Trajektoria [mm]					Testowa długość lufy [mm]
			Energia [J]							50 m	100 m	150 m	200 m	300 m	
			0 m	50 m	100 m	150 m	200 m	300 m							
Odchyłka przy bocznym wiatr w [mm] (wiatr: 4 [m/s])															
<b>6.5x55 Swedish</b>	<b>4316021</b>	<b>Mega</b> 10,1 g / 155 gr E471	780	742	704	668	633	566	100 m	2	0	-52	-159	-563	740
			<b>3 072</b>	<b>2 778</b>	<b>2 506</b>	<b>2 255</b>	<b>2 023</b>	<b>1 618</b>	150 m	20	35	0	-90	-459	
			0	7	37	62	113	269	200 m	42	79	67	0	-325	
<b>7x64</b>	<b>N317321</b>	<b>Naturalis</b> 10,4 g/160 gr N510	830	776	724	674	626	536	100 m	-1	0	-48	-149	-549	640
			<b>3 583</b>	<b>3 132</b>	<b>2 726</b>	<b>2 363</b>	<b>1 750</b>	<b>1 497</b>	150 m	16	32	0	-86	-454	
			0	9	33	79	147	353	200 m	38	75	64	0	-325	
<b>7.62x39</b>	<b>4317235</b>	<b>FMJ</b> 8,0 g / 123 gr S405	715	666	619	574	531	454	100 m	8	0	-72	-218	-787	420
			<b>2 045</b>	<b>1 775</b>	<b>1 533</b>	<b>1 318</b>	<b>1 129</b>	<b>823</b>	150 m	32	48	0	-122	-643	
			0	10	42	98	180	436	200 m	62	109	92	0	-460	
<b>.308 Win 7.62x51</b>	<b>4317527 TRAINER</b>	<b>FMJ</b> 8,0 g / 123 gr FMJ123	895	839	786	734	684	591	100 m	-3	0	-37	-120	-451	640
			<b>3 204</b>	<b>2 817</b>	<b>2 468</b>	<b>2 155</b>	<b>1 873</b>	<b>1 396</b>	150 m	10	25	0	-70	-377	
			0	7	30	70	129	311	200 m	27	60	53	0	-271	
	<b>4317498</b>	<b>Mega</b> 9,72 g / 150 gr E469	850	804	760	716	675	596	100 m	-1	0	-42	-131	-479	640
			<b>3 511</b>	<b>3 142</b>	<b>2 804</b>	<b>2 495</b>	<b>2 213</b>	<b>1 724</b>	150 m	13	28	0	-76	-395	
			0	7	27	63	115	276	200 m	32	65	57	0	-282	
	<b>N317101</b>	<b>Naturalis</b> 11,7 g/180 gr N505	775	727	682	637	595	515	100 m	3	0	-57	-171	-632	640
			<b>3 502</b>	<b>3 085</b>	<b>2 709</b>	<b>2 368</b>	<b>2 063</b>	<b>1 549</b>	150 m	22	38	0	-95	-519	
0			6	24	59	111	257	200 m	46	87	71	0	-375		
<b>N317201</b>	<b>Naturalis LR</b> 11 g/170 gr N518	800	753	708	665	623	544	100 m	2	0	-51	-157	-567	640	
		<b>3 520</b>	<b>3 122</b>	<b>2 760</b>	<b>2 432</b>	<b>2 135</b>	<b>1 627</b>	150 m	19	34	0	-89	-464		
		0	6	29	72	133	318	200 m	41	79	67	0	-331		
<b>4317189</b>	<b>Mega</b> 12,0 g / 185 gr E415	765	720	677	635	595	520	100 m	4	0	-57	-175	-629	640	
		<b>3 511</b>	<b>3 113</b>	<b>2 751</b>	<b>2 422</b>	<b>2 125</b>	<b>1 620</b>	150 m	23	38	0	-99	-515		
		0	8	33	76	140	337	200 m	47	88	74	0	-367		
<b>7.62x53R/54R</b>	<b>4317503 TRAINER</b>	<b>FMJ</b> 8,0 g / 123 gr FMJ123	895	839	786	734	684	591	100 m	-3	0	-37	-120	-451	610
			<b>3 204</b>	<b>2 817</b>	<b>2 468</b>	<b>2 155</b>	<b>1 873</b>	<b>1 396</b>	150 m	10	25	0	-70	-377	
			0	7	30	70	129	311	200 m	27	60	53	0	-271	

## AMUNICJA MYŚLIWSKA

AMUNICJA MYŚLIWSKA															
Prędkość [m/s] Energia [J] Odchyłka przy bocznym wiatr w [mm] (wiatr: 4 [m/s])															Testowa długość lufy
Kaliber	Nr katalogowy	Typ pocisku Waga Symbol	Prędkość [m/s]						Odległość od punktu trafienia	Trajektoria [mm]					[mm]
			0 m	50 m	100 m	150 m	200 m	300 m		50 m	100 m	150 m	200 m	300 m	
7.62x53R/54R	N317104	Naturalis 11,7 g / 180 gr N505	775	727	680	636	593	512	100 m	-2	0	-51	-161	-609	610
			3 514	3 090	2 708	2 364	2 054	1 536	150 m	15	34	0	-92	-506	
			0	6	34	81	145	360	200 m	38	80	69	0	-367	
	4317502	Mega 12,0 g/185 gr E415	765	720	677	635	595	520	100 m	4	0	-57	-175	-629	610
			3 511	3 113	2 751	2 422	2 125	1 620	150 m	23	38	0	-99	-515	
			0	8	33	76	140	337	200 m	47	88	74	0	-367	
.30-06	4317577 TRAINER	FMJ 8,0 g / 123 gr FMJ123	895	839	786	734	684	591	100 m	-3	0	-37	-120	-451	580
			3 204	2 817	2 468	2 155	1 873	1 396	150 m	10	25	0	-70	-377	
			0	7	30	70	129	311	200 m	27	60	53	0	-271	
	N317102	Naturalis 11,7 g/180 gr N505	810	761	714	669	625	543	100 m	1	0	-50	-155	-564	580
			3 825	3 384	2 974	2 608	2 278	1 718	150 m	18	34	0	-88	-464	
	N317202	Naturalis LR 11g/170 gr N518	830	782	736	692	649	568	100 m	0	0	-45	-142	-514	580
			3 769	3 367	2 963	2 634	2 032	1 773	150 m	15	30	0	-82	-424	
				0	8	28	68	130	229	200 m	360	72	62	0	-301
4317563	Mega 12,0 g / 185 gr E415	800	754	710	667	626	547	100 m	2	0	-50	-156	-564	580	
		3 840	3 412	3 023	2 669	2 348	1 798	150 m	18	34	0	-89	-463		
		0	7	31	72	131	315	200 m	41	78	67	0	-330		
4317567	Mega 13,0 g / 200 gr E401	775	733	693	653	615	544	100 m	3	0	-54	-166	-592	580	
		3 904	3 494	3 119	2 775	2 462	1 921	150 m	21	36	0	-94	-484		
		0	7	30	69	126	302	200 m	44	83	70	0	-343		
.300 Win. Mag.	N317309	Naturalis 11,7 g/180 gr N505	910	857	806	756	709	619	100 m	-3	0	-35	-111	-420	610
			4 845	4 295	3 797	3 347	2 940	2 242	150 m	8	29	0	-65	-351	
			0	7	29	65	117	282	200 m	25	56	49	0	-254	
	N317203	Naturalis LR 11g /170 gr N518	930	879	829	782	736	649	100 m	-4	0	-32	-103	-389	610
4 757			4 247	3 784	3 362	2 978	2 314	150 m	7	21	0	-60	-325		
0			6	26	60	106	257	200 m	22	51	45	0	-235		

## AMUNICJA MYŚLIWSKA

		Prędkość [m/s] Energia [J] Odchyłka przy bocznym wiatr w [mm] (wiatr: 4 [m/s])													Trajektoria [mm]	Testowa długość lufy
Kaliber	Nr katalogowy	Typ pocisku Waga Symbol	0 m	50 m	100 m	150 m	200 m	300 m	Odległość od punktu trafienia	50 m	100 m	150 m	200 m	300 m	[mm]	
.300 Win. Mag.	4317312	<b>Mega</b>	830	783	737	692	650	568	100 m	0	0	-45	-143	-514	610	
		12,0 g / 185 gr	<b>4 130</b>	<b>3 671</b>	<b>3 253</b>	<b>2 873</b>	<b>2 529</b>	<b>1 936</b>	150 m	8	27	0	-79	-413		
		E415	0	8	29	68	127	298	200 m	36	71	62	0	300		
N317310	N317310	<b>Naturalis</b>	855	809	765	721	680	601	100 m	-1	0	-40	-128	-468	610	
		13,0 g / 200 gr	<b>4 737</b>	<b>4 241</b>	<b>3 788</b>	<b>3 373</b>	<b>2 995</b>	<b>2 339</b>	150 m	12	27	0	-75	-389		
		N513	0	8	28	62	114	271	200 m	31	64	56	0	-276		
8X57 JRS	N318016	<b>Naturalis</b>	770	717	667	618	572	487	100 m	4	0	-49	-180	672	600	
		11,7 g / 180 gr	<b>3 469</b>	<b>3 011</b>	<b>2 602</b>	<b>2 237</b>	<b>1 912</b>	<b>1 386</b>	150 m	24	39	0	-101	-553		
		N516	0	8	38	90	163	409	200 m	49	90	76	0	-402		
8x57 JS	N318015	<b>Naturalis</b>	800	746	695	645	597	509	100 m	2	0	-54	-164	-510	560	
		11,7 g / 180 gr	<b>3 744</b>	<b>3 258</b>	<b>2 822</b>	<b>2 434</b>	<b>2 088</b>	<b>1 517</b>	150 m	20	36	0	-93	-503		
		N516	0	8	35	85	155	385	200 m	41	78	67	0	-330		
.338 Lapua Mag.	N318020	<b>Naturalis</b>	910	869	829	790	753	680	100 m	4	0	-32	-103	-380	690	
		15,2 g / 235 gr	<b>6 294</b>	<b>5 738</b>	<b>5 224</b>	<b>4 747</b>	<b>4 306</b>	<b>3 519</b>	150 m	7	22	0	-60	-503		
		N508	0	5	22	50	88	208	200 m	22	51	45	0	-226		
4318018	4318018	<b>A-Frame</b>	820	788	757	727	697	640	100 m	-3	0	-39	-126	-456	690	
		17,8 g / 275 gr	<b>5 991</b>	<b>5 535</b>	<b>5 107</b>	<b>4 704</b>	<b>4 327</b>	<b>3 644</b>	150 m	10	26	0	-74	-378		
		E499	0	6	19	43	81	194	200 m	29	63	55	0	-268		
9.3x62	N319201	<b>Naturalis</b>	730	687	645	605	566	494	100 m	4	0	-61	-189	-696	600	
		17,5 g / 270 gr	<b>4 664</b>	<b>4 129</b>	<b>3 644</b>	<b>3 204</b>	<b>2 804</b>	<b>2 140</b>	150 m	24	41	0	-107	-573		
		N506	0	9	37	80	146	362	200 m	51	94	80	0	-413		
4319010	4319010	<b>Mega</b>	690	650	612	574	539	473	100 m	9	0	-75	-224	-787	600	
		18,5 g / 285 gr	<b>4 404</b>	<b>3 910</b>	<b>3 460</b>	<b>3 053</b>	<b>2 686</b>	<b>2 068</b>	150 m	34	50	0	-124	-638		
		E433	0	9	36	84	153	367	200 m	65	112	93	0	-452		
9.3x74 R	N319201	<b>Naturalis</b>	725	682	641	600	562	491	100 m	7	0	-65	-197	-718	580	
		17,5 g / 270 gr	<b>4 600</b>	<b>4 071</b>	<b>3 591</b>	<b>3 155</b>	<b>2 762</b>	<b>2 106</b>	150 m	28	43	0	-111	-589		
		N506	0	10	37	80	148	366	200 m	56	99	84	0	-422		